

Issuer: 2510 GUNNEL ISAKSSON 031-667162

Subject: Z system

89-06-01

--- RECEIVED FROM VD.2510GI 031-667162

89-02-09 16.40

-> VNA.VNADM

DAVID MESIANO

MIS-153

Hi,

I also left two other cassettes to Per. They include a copy of our Z system (one volume backup system), which I thought you may find useful.

DSNAME= F1MXVD.EXT.SYSZZY.R1.D890208

VOLSER= MX0021, MX0022

Instructions:

Since there are VSAM datasets on the volume, you will have to restore it to a volume with the same name as it had here - SYSZZY.

Things to check before IPL:ing the system:

- o Execute your current MVSCP with target SYS1.NUCLEUS on SYSZZY.
- o Make necessary changes to SYS3.VTAMLST to be able to logon from one of your local control units.
- o Make changes to member CONSOLE00 on SYSZZY so that you reference your console addresses.
- o Exchange the VATLST00 with your own - or one just specifying SYSZZY. The one on the volume was used when testing in VTD1.
- o I will send a separate memo with instructions on how to IPL the system.

When we tested the system, we logged on to tso, ran a few batch jobs (IEBGENER and IDCAMS) but maybe there are more things that you will want to test ?

Please let me know if you have any questions.

Hälsningar
Gunnel

Issuer: 2510 GUNNEL ISAKSSON 031-667162

Subject: ACF2 sysres

89-06-01

--- RECEIVED FROM VD.2510GI 031-667162

89-02-09 16.39

-> VNA.VNADM

DAVID MESIANO

MIS-153

Hi,

I left two cassettes with your ACF2 sysres to Per today.

DSNAME= F1MXVD.EXT.EX0000.R1.D890208

VOLSER= MX0029, MX0030

Differences on this sysres compared to the MVS 2.2 system
that we sent in November are:

- . ACF2 5.0
(the coex. tool has NOT been applied)
- . SYS1.PL1.PLILINK is now included again (level PL/1 V2).
- . VTAM 3.2.0.
- . PUTlevel 8806 for all products.

Things to consider:

1. ACF2: You will get additional information from Bengt Rydberg and Ulla-Karin Gustafsson (memoid VD.BENGTR and VD.ULLAKARI). Please send questions to me or them concerning any technical matters, that we may help you with.
2. We hade some minor problems with tape mounts, after installing PUT8806. After contacts with the TMS vendor he suggested that we should apply all available maintenance to TMS. We suggest you do the same. Not necessarily at the same time as you install the res, but don't wait too long.
3. I have included SYS1.ISFLOAD and SYS1.HASPSRC with level JES2 2.2, since we suppose that you will be on JES2 2.2 before IPL:ing the ACF2 system.
If you want to make a test IPL with JES2 2.1.5 remember to collect the sdsf loadmodules from your current system. There are also some ACF2/JES2 dependant modules, that are now in SYS1.LINKLIB, that need to be exchanged. Please let us know.
4. I guess Per has got all necessary information for VTAM 3.2. If not, please contact Johan Ström (memoid VD.JS).

Hälsningar,

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: PL/1 89-01-19

=> VNA.VNADM DAVID MESIANO MIS-153
 --- RECEIVED FROM VNA.VNADM 201 768-7300 89-01-03 13.57
 -> VD.GI GUNNEL ISAKSSON TEL 667162 2510

This is great. It is also unclear here if pli is from mex pack. I will ask Kjell when he comes back. I think the COBOL pre compiler from VD also needed PLI. In any case I will check with IBM to also see what version we have licenced. Thanks again
 David

--- RECEIVED FROM VD.2510GI 031-667162 89-01-03 15.37

-> VNA.VNADM DAVID MESIANO MIS-153

Hi,

This wasn't an easy subject. I didn't know that you have PL/1 from MEXPACK. And from what I can find in Kjell's files (he is on vacation this week), you don't pay anything extra for PL/1. I'll talk to Kjell, and we'll sort this out.

But I found your SYS3.F1STR1.PL1.SUBRTNES, which obviously was distributed with MEXPACK in the beginning. You probably need it for VMF ?? But no one has sent you any updates ! I think what you have is PL/1 4.0, but I don't know what putlevel.

Last winter VD installed PL/1 1.5.1, and when I built your system last spring, I included the datasets for PL/1 1.5.1 and put them on your sysres - I don't know why, but they are there.

But when Elisabet built your MVS 2.2-sysres, we thought that you didn't use PL/1, and did not include the datasets.

So....

On your current sysres SY1R1X, you can find datasets with prefix SYS1.PL1, which hold PL/1 1.5.1 with putlevel 8708. But on your new MVS 2.2, they are unfortunately not included.

The PL/1 datasets are:

SYS1.PL1.PLICOMP	(compile)
SYS1.PL1.PLIBASE	(link)
SYS1.PL1.PLITASK	(link multitask)
SYS1.PL1.PLILINK	(runtime)

where SYS1.PL1.PLILINK corresponds to your current SYS3.F1STR1.PL1.SUBRTNES.

Hope this will help you. And we'll include the SYS1.PL1.PLILINK dataset on future MEXPACK sysres volumes.

Let me know, if you want me to send a SYS1.PL1.PLILINK for the MVS 2.2-sysres. The only difference is that if I send a new one, it will be on PUTlevel 8803.

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162
Subject: ACF2 88-12-12

=> VD.BENGTR	BENGT RYDBERG	TEL 669666	2510
--- RECEIVED FROM VD.BENGTR	+46-(0)31-669666		88-12-08 17.32
-> VNA.VACJT	JOHN TURNER		MIS-153
-> VNA.VACJC	JOHN CORTESE		MIS-150
-> VNA.VACDG	DANIELLE GARRISON MEMO HELP		MIS-150
-> VNA.VNADM	DAVID MESIANO		MIS-153
CC:			
-> VD.PJ	PER JOHANSON		2810
-> VD.GI	GUNNEL ISAKSSON	TEL 667162	2510
-> VD.KGO	KG OLSSON		2040

Dear VOLVO friends of U.S.A !

Thank for Your hospitality during my visit at VNA. It was most valuable to meet You and see Your installation. It always make things easier when communicate via MEMO or telephone.

I have tried to document what I think are the most important parts of our discussion during my visit at VNA. Please feel free to contact me if You have any comments or further questions.

Best Regards,
Bengt Rydberg

The decision that was made in the VOLVO headquarter, and goes for all companies in the Volvo group, is a two part decision. First, the concept for security administration shall be implemented and used. Secondly, the product ACF2 shall be used. See "Activities when installing the authorization concept/ACF2" (K-G Olsson 88-09-21) for the complete description.

Me to investigate if and when the concept will be available in English. So far I only know that it will be available, but not when. Other recommendations, standards and rules are in pipeline.

Description of the Volvo Group project, the "Key project".

Project leader
K-G Olsson
Dept 2040
MEMO=VD.KGO

!	!	!	!
!	!	!	!
Tech project	Adm./std./cons.	Install/conv.	Educ./info
Bengt Rydberg	Per Johansson	Göran Andersson	Evastina Tillberg
Dept 2510	Dept 2810	Dept 2302	Dept 2040
MEMO=VD.2510BR	MEMO=VD.PJ	MEMO=VD.2302GA	MEMO=VD.EST

Per is available for support in different areas (see copied foils). Please let us know if You need any help from Per (or

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: ACF2 88-12-12

me).

ACF2 modifies the following parts of MVS :

JES2 exits: 2, 4, 20, (223, 224, 227)

MVS : Front end via SVCUPDATE for a number of mods.

TSO : Signon exit, We have replaced this with VD code.

IMS : Signon exit, We have merged this with VD code.

IDMS : Signon exit ?

The existing CA ACF2/RACF coexistence tool can be used. However, it's Your own decision and on Your own risk since Volvo Data can neither guarantee nor support the tool. The reasons are 1) it is CA's word that it works for TSS 2) Volvo Data does not use the tool in this timeframe (febr - april) . Please also consider that there could also be some confusions during problem determination.

VD has also written code to support HSM and DMS in this mixed environment (ACF2/RACF).

Gunnel can generate a system for You almost whenever You like. As always, please let us know some time in advance when You have decided on a precise date.

About Your ID generation for 8100 machines. From what I understood has TSS a standard function for ID generation for incoming jobs from RJE, right ? There is no such standard function in ACF2. What can be done is making use of the ACF2 JES prevalidation EXIT. CA states that it has been done at other installations.

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: RMDS, ETC.... 88-09-05

--- RECEIVED FROM VD.2510GI 031-667162 88-09-02 16.09
-> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153

Lou,

Yes, the journey back went all right, and now everything is back to normal again.

Concerning RMDS, I talked to Lars Hammar, who has been involved in our project, and he says: We have looked at several products, and we have now chosen Express Delivery, which is the one that we think is the best. At least you should have a look at it before you decide which product to choose.

Please feel free to send any questions you like, concerning Express Delivery, to Lars. Memoid VD.HAMMAR.

I think we also discussed the ICFRU product last Monday. And since Lars also works with that product, you can ask him anything you like, concerning starting to use ICFRU for catalog recovery.

My opinion is, that with a rather small effort, you can get a much higher level of security and backup for your system, if you're using ICFRU.

Hälsningar,
Gunnel

--- RECEIVED FROM VNA.VNELFO02 201-768-7300 88-08-30 17.15
-> VD.GI GUNNEL ISAKSSON TEL 667162 2510

HEJ GUNNEL:

IT WAS SO GOOD SEEING YOU AGAIN. HOPE THE TRIP HOME WAS A GOOD ONE... IN OUR TALKS HERE WE DISCUSSED A PROJECT THAT WE WOULD BE UNDERTAKING WITH RMDS AND OTHER COMPATIBLE PRODUCTS. WHAT IS BEING USED BY VOLVO DATA FOR THIS PURPOSE AND WHO IS RESPONSIBLE FOR THE PRODUCT?? DO YOU KNOW OF ANY OTHER PRODUCTS LIKE RMDS. WE ARE IN THE INFORMATION GATHERING STAGE AT THIS POINT. ANY INFO WILL BE APPRECIATED.

PLEASE SAY HELLO TO ALF, JAN, AND LARS FOR ME. THANKS AGAIN FOR THE SHIRT. EVERYONE WHO HAS SEEN IT JUST LOVES IT.

REGARDS ALWAYS//L O U

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: MEX 88A 88-04-08

--- RECEIVED FROM VD.2510GI 031-667162 88-04-06 19.05

-> VNA.VNADM DAVID MEBIANO MIS-153

Hi David,

I have transmitted your new system today.

We have included more products into the MVS smg zones since last year, and we are now using a 3380/K for the MVS system. So I have separated our system into three 3380/D before taking the fulldump copies.

DSNAME= F1MXVD.EXT.EX0000.R11.TARGET.D880406
VOLSER= MX0003; MX0004 (Target datasets)

DSNAME= F1MXVD.EXT.EX0000.R11.DLIB.D880406
VOLSER= MX0005 (Dlib datasets)

DSNAME= F1MXVD.EXT.EX0000.R11.REST.D880406
VOLSER= MX0006 (Target and dlib datasets for the products GDDM, APL2, PMF, and VSFORTRAN. Perhaps you may not need to restore them.)

New product levels, compared to your current system, are:

- o DFP/XA 2.2.3
- o EREP 3.3.2
- o DSF 1.9.0
- o DF/DSS 2.3.0
- o Netview 1.2.0
- o ISPF/PDF 2.3.0
- o TSO/E 1.4.0
- o OPC/A 1.1.0
- o PL/1 1.5.1
- o GDDM 2.1.1
- o APL2 1.2.0
- o VSFORTRAN 2.2.0
- o PUTlevel 8708 for all products.

You can find information about FMID's installed in member AAFMID in SYS1.MACLIB, where you also can find an activity log with actions taken to the system ((AAUPDTE).

Some customization jobs have been executed. Information about what has been done, is in dataset F1MXVD.R1.IOGEN on the target volume.

Some things to consider before installation:

- . OPC/A is included in SYS1.LINKLIB. So you must point to your current OPC linklib with STEPLIB DD cards.
- Lars Leth is working with the changes to the smf-exits

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: MEX 88A

88-04-08

For OPC/A and we will distribute them separately later.

- . With this level of MEXPACK we have chosen to put all usersvc's outside of SYS1.LPALIB. So you will need some additional modules to your current SYS3.F1SYR1.LPALIB. You can find those modules on the target volume in dataset SYS3.F1SYR1.LPALIB. You will notice that there are two 'dummy' modules DFSMRCLD and ASUM2RMT. These must be present at IPL, or you'll get an S806 abend. We have also put the sdsf lpa modules into the concatenated LPALIB.
- . The masterjcl, i.e. load module MSTJCLR1, is no longer in SYS1.LINKLIB. It must be in a linklist library and we suggest SYS3.F1SYR1.LOADSERV. It has not been changed, so you may copy the module from your current system.
- . The new release of ISPF/PDF includes quite a lot of changes to ISPF standard panels. If you have taken copies of the std panels and put them into local panel libraries, these panels probably need to be changed to reflect the new release.
- . With TSO/E R4 a new parmlib member (IKJTS000) was introduced, where you can give information about authorized commands programs etc. The default member from IBM is in SYS1.SAMPLIB and I have copied the member currently used at Volvo Data into SYS1.PARMLIB on the target volume.
- . When applying maintenance to VTAM in November some problem with an empty uss table was discovered. Johan Ström (dept 2210) should send information about this. Let me know if he hasn't.
- . You must generate new versions of SADUMP, SADSF och SADSS. You can find some example jcl in F1MXVD.GOODIES on the target volume.
- . Some changes have been made to the SYSGEN macros and also to the SVCTABLE macro. So I suggest you use the dataset SYS1.IOGEN.STAGE1 and copy in your macros CHPID, CNTLUNIT, IODEVICE, CONSOLE and UNITNAME.

Please let me know if you have any questions.

Regards,
Gunnel

PS. When you have the time, perhaps you can return the 3480 cassettes to VD, since I'm planning to use them again.

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: logonexit 88-04-01

--- RECEIVED FROM VD.2510GI 031-667162 88-03-31 18.23

-> VNA.VNADM DAVID MESIANO MIS-153

Hi David,

Before installing the next MEXPACK level you will need a new version of the Volvo logonexit.

We have assembled and relinked a new one into dataset F1MXVD.R1.LGONEXIT.PPCMDLIB.
Hopefully you can pick it up from there.

We have made the special changes for your account fields etc. so I hope it will work, but please let us know when you have tested it.

The following changes have been made:

- . Some general clean-up of the code.
- . The logon exit automatically performs LOGON RECONNECT if the last session had not been closed.
- . There are two new 'hidden' parameters for the Volvo UADS: SHOW and NOSHOW.
If you enter NOSHOW when the logon exit has control (the screen where you change accounting info etc.), the next time you log on to the system, that logon exit screen will be bypass.
If you want the screen back, you just enter parameter SHOW to your logon command.
- . TSO/E Rel 4 introduced changes to the default values for the TSO parameters MAIL and NOTICIES. The new default values were NOMAIL and NONOTICES, but since we think we want those messages, the logonexit changes them back once more.
- . Also some changes have been made to the parameters sent to the logon procs:
There are two new parameters: VN which will contain the first two characters of your sysid i.e. R1.
So you may replace your current parameter NODE with this new parameter.
The other new parameter is VSYSID, and is mainly interesting for installations with more than one cpu. VSYSID contains information from characters no 1,2 and 4 of your sysid, i.e. R11.
If you don't want to use those new parameters, you just add the following DD-cards to your logon procs:
//DUMMY1 DD DSN=DUMMY,DSN=&VSYSID
//DUMMY2 DD DSN=DUMMY,DSN=&VN

Please let me know if you have any questions about this, and don't forget LLA,REFRESH when testing the new

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: logonexit 88-04-01

lgonproc.

Kind Regards,

Gunnel

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: 88a, j&k ? 88-04-15

--- RECEIVED FROM VD.2510GI 031-667162

88-03-31 10.21

-> VNA.VNADM

DAVID MESIANO

MIS-153

Hi David,

Yes the new sysres will include the MVS support for D/T 3380 J&K, i.e. DFP 2.2.3, DF/DSS 2.3.0, DSF 1.9.0, EREP 3.3.2 and ISPF/PDF 2.3.0. So it will be OK for you to use them, for normal data. But NOT for JES2 checkpoint & spool and SYS1. IMAGELIB, since we need to make a PUT upgrade to JES2, and have not yet had to time to do it.

Perhaps you should check up if IDMS has any specific prerequisites, since we know that IMS has.

As for the use of them, I have redistributed your question to Space Management, and you will get an answer from them. As far as I know, we have not had any problems with the new devices.

And yes, the sysres you'll get is a copy of our system, and the original has been used at VD for 3380 J&K.

Kind Regards,
Gunnel

--- RECEIVED FROM VNA.VNADM 201 768-7300

88-03-30 17.42

-> VD.GI

GUNNEL ISAKSSON

TEL 667162 2510

Hi,

We have some possible intrest in 3380 J & K devices (for some IDMS data). does the 88a res cover all of our software needs?

Is there any info you can give me on use of j&k (pros and cons).

have you tested the res with j&k devices.

thank you
david

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: MEXPACK 88-02-23

=> VNA.VNADM DAVID MESIANO MIS-153
 --- RECEIVED FROM VNA.VNADM 201 768-7300 88-02-15 14.36
 -> VD.GI GUNNEL ISAKSSON TEL 667162 2510

Hi, Two things.

I would rather have the ability to do the IOGEN here. Is it possible to send a full dlib volume with the res. If this would require us to do the initial IOGEN that is not a problem. I think in the past having the ability to do the iogen has saved us a few times. (It also saves you work when i need a change).

second: I am suprised to hear about NETVIEW R2 being available. Since I thought only R1 would be with the res I have to reconsider our position on netview. This is another reason i like to do iogen here. Please don't spend alot of time on our res yet. I will think this over and get back to you soon.

Thanks alot
David

--- RECEIVED FROM VD.2510GI 031-667162 88-02-15 19.04
 -> VNA.VNADM DAVID MESIANO MIS-153

Hi David:

It's OK for us to run your IOGEN, but then we will not send the dlib-datasets, so if you should need a new IOGEN we'll send a new system from Sweden. But I will send the dlib-datasets necessary to perform an EDTGEN if you should want to do one before the next IOGEN.

Have you started to use Netview yet ? The new release 2.0 is available on the new system, but one has to make definitions of logical consoles in the IOGEN. Perhaps we should add some CONSOLE=JES definitions ?

Things have been rather busy this last week, since people started working again. But I'll try to start working on your system hopefully next week, if it is OK with you ? I'll let you know exactly when I start executing the IOGEN jobs.

Regards,
Gunnel

--- RECEIVED FROM VNA.VNADM 201 768-7300 88-02-13 10.46
 -> VD.GI GUNNEL ISAKSSON TEL 667162 2510

Hi

You can do the IOGEN. The input is in 'f8syr1.mvs.iogen(ip308100)' I can send it to you but i think we found it is easiest if you logon to r1 and pick it up. either way is ok with me. I have not decided when we will install probably march or april david

--- RECEIVED FROM VD.2510GI 031-667162 88-02-12 15.56
 -> VNA.VNADM DAVID MESIANO MIS-153

Hi David:

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: MEXPACK 88-02-23

How about IOGEN ?

Do you still prefer to run it yourself ?

If so, we could distribute the new level to you,
maybe next week, or the week after that.

Gunnel

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: xa uy02972 87-08-18

--- RECEIVED FROM VD.2510GI 031-667639 87-08-18 14.19
-> VNA.VNADM DAVID MESIANO MIS-153

Hello David,

I have applied UY02972 to the 'Mexpack system'. The updated module, which will replace a module in SYS1.LPALIB is now in dataset F1MXVD.IG0003D.D8723D.LPALIB. Hope you can collect it as before.

Regards,
Gunnel

--- RECEIVED FROM VNA.VNADM 201 768-7300 87-08-17 17.57
-> VD.2510GI GUNNEL ISAKSSON TEL 667639 2510
gunnel

hi, again. We have XA production now and so far we only had 1 small problem. It seems our xa system does a lot more paging than the 370 system and we had an aux storage shortage. We fixed this by adding a page dataset. Later we noticed that people could not logon even though we were well below the max tso users we were also well below the max address spaces.

PTF UY02972 fixes this. It is not urgent since we will IPL tonight and add page space and as long as we don't have aux stor shortage we won't have the problem.

thank you
david

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: Z system 87-08-18

--- RECEIVED FROM VD.2510GI 031-667639 87-07-10 10.58

-> VNA.VNABC	BERT CHRISTENSSON	MIS-153
-> VNA.VNADM	DAVID MEBIANO	MIS-153

Hello,

When distributing MVS/XA systems to the other MEXPACK sites, we have also given them a copy of our Z (backup) system. I.e. a complete MVS system in one single volume.

I didn't think of this, until this week, but:

Do you have a Z system for your MVS/370 system ?

Would you like us to send a copy of our SYSZZX volume for MVS/XA ?

Perhaps you want to build your own MVS/XA backup system, but if you want a copy of ours, all you have to do is to update the libraries that are affected by IOGEN (LINKLIB, LPALIB, NUCLEUS etc.) with your MVS/XA production libraries. And then test it of course.

Kind Regards,

Gunnel

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: VPW 87-06-29

--- RECEIVED FROM VD.2510GI 031-667639 87-06-23 17.48
-> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153

Hello Lou,

As you might have heard I will visit the SHARE conference in Chicago in August, and then I will visit you (VNA) on Monday August 31st. So we will have an opportunity to meet ! I'm really looking forward to that.

As for VPW, I don't think there is any other possibility at the moment. The only way to change the volser and unit information is to make the zap. So, I guess we will have to go on 'zapping', when needed.

The only possible help that I can think of, is if you make a permanent copy of your VPWOPTxx-member, and then make the zap in that new module. You then may specify the alternative OPT-member when running VPW at COMDISCO (perhaps even using another VPW procedure). But if this is a good idea, depends on your other routines and documentation for running the system at COMDISCO.

Kind Regards,

Gunnel

--- RECEIVED FROM VNA.VNELFO02 201-768-7300 87-06-22 13.36
-> VD.2510GI GUNNEL ISAKSSON TEL 667639 2510

* * ** * ***** * ***** ****
* * * * * *** * *** * *
** * ** ***** ***** * ****

HEJ GUNNEL:

HOW HAVE YOU BEEN?? HOPE ALL IS WELL*** I HAVE JUST A QUESTION IF I MAY.... I NOTICE THAT WITH VPW, IT SEEMS THAT THE VOLSER AND UNIT ARE HARD CODED. IS THIS NECESSARY?? IS THERE A WAY AROUND THIS. THE ONLY REASON I ASK IS THAT WHEN WE GO DOWN TO COMDISCO (DISASTER RECOVERY) WE HAVE TO RUN A ZAP TO CHANGE THIS. IT WOULD OBVIOUSLY BE EASIER IF THERE WERE ANOTHER WAY TO DO THIS OR IF WE DIDN'T HAVE TO DO THIS AT ALL. WE HAVE VPW ON A 3380 (MD1121) UP HERE AT VNA, BUT WE USE A 3350 (MD1101) AT CDRS. ANY IDEAS????
MUCH THANKS IN ADVANCE.... PLEASE SAY HIGH TO ALL FOR ME.

REGARDS//L O U

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: xa ptf's cont. 87-06-03

=> VNA.VNADM DAVID MESIANO MIS-153
 --- RECEIVED FROM VNA.VNADM 201 768-7300 87-06-03 09.08
 -> VD.GI GUNNEL ISAKSSON TEL 667639 2510

gunnel:

I tested xa again on Sunday (including the new PTF)
 and evrything went fine. I appreciate your effort to help us keep
 our project on schedule.

thank you very much: dave
 --- RECEIVED FROM VD.2510GI 031-667639 87-05-26 15.06
 -> VNA.VNADM DAVID MESIANO MIS-153

Hello David,

The PTF arrived today and I have now applied it to our
 MEXPACK system. The updated module (IFGD194A) is in dataset
 F1MXVD,IFGD194A.D87146.LPALIB in the NJEVD environment.
 Hopefully you can pick it up yourself.

Good luck with your next MVS/XA tests.

Kind Regards,
Gunnel

--- RECEIVED FROM VNA.VNADM 201 768-7300 87-05-19 17.34
 -> VD.GI GUNNEL ISAKSSON TEL 667639 2510

gunnel

Hi, again I have some new information. I made a mistake with
 the third ptf (UY04874) it was an APAR OY4874. I called the
 support center and they said it is fixed by UY07934 which is PE
 and suped by UY08699 which is not on a put tape yet. If you could
 get UY08699 and install it I would appreciate it.

--- RECEIVED FROM VD.2510GI 031-667639 87-05-13 18.03
 -> VNA.VNADM DAVID MESIANO MIS-153

Hello again David,

I just talked to IBM Stockholm, and now I have some extra
 information.

We had some trouble to identify the PTF UY04874, but
 they thought that the PTF had 'been closed as a duplicate'
 and that the original PTF (UY02030) has been superseded
 by UY03313. If this is correct (Perhaps you can check once
 more with the TSS lab for the correct apar number ?), both
 UY02030 and UY03313 are already applied to your MVS/XA system.

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: xa ptf's cont. 87-06-03

Also PTF UYD4911 has been applied to your system, but PTF UYD6277 has not.

I have now applied UYD6277 here to our MEXPACK system at Volvo Data, and the module involved is now in dataset

F1MXVD.IFG0194A.D87133.LPALIB in NJEVD environment.

If you want to, you can pick it up yourself, (beware of all the alias'es), or else you must give me information of where I can put it (VOLSER, high-index) in your environment.

Please let me know, if you want me to transmit it.

Kind Regards,

Gunnel

V O L V O

Document: MEMO
Regno:

PAGE: 1
Insert: App:

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: MVS/XA IOGEN 87-04-13

--- RECEIVED FROM VD.2510GI 031-667639 87-04-10 13.26

-> VNA.VNABC BERT CHRISTENSSON MIS-153
-> VNA.VNADM DAVID MESIANO MIS-153

Hello,

Some additional information about IOGEN:

- . Dataset SYS1.IOGEN.STAGE1 contains IOGEN input used for IOGEN for Volvo Europe, Gent. But all macros, except IOCP (CHPID, CNTLUNIT and IODEVICE) and UNITNAMES are the same parameters as for all MEXPACK and all Volvo Data IOGENs.
So I guess, all you need to do, is to replace those IOCP- and UNITNAMES- sections with you own input.
- . A copy of jcl used at Volvo Data for IOGEN stage1 has been included in dataset F1MXVD.R1.IOGEN(STG1JCL). Also copies of the cataloged procedures used in IOGEN stage2 have been included in that dataset. The names of the procedures used at VD are ASMXA (instead of ASMS) and LINKXA (instead of LINKS).
Please notice that there is an additional, non-standard maclib called SYS1.MACLIBXA.
It contains only one macro, SPLEVEL, with the variable &DEFAULT set to value '2' (which provides MVS/SP Version 2 level for certain macros).
The reason for this, is that during the maintenance of both MVS/XA and MVS/370 systems we have wanted to get MVS/SP Version 1 macros for some applications. And to get that, we changed the SPLEVEL macro in SYS1.MACLIB to

&DEFAULT SETC '1'.

We are now planning to 'go back' to standard setting, but we have not done so yet.

Please let us know if you have any other questions, concerning the IOGEN.

Kind Regards,

V O L V O

Document: MEMO
Regno:

PAGE: 1
Insert: App:

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: Netview/nccf 87-04-13

--- RECEIVED FROM VD.2510GI 031-667639 87-04-10 09.18
-> VNA.VNABC BERT CHRISTENSSON MIS-153
-> VNA.VNADM DAVID MESIANO MIS-153
cc.
-> VD.2230SW SOFTWARE 2230 2230

Hello,

As I mentioned in my earlier memo, Netview is present on the MVS/XA SYSRES volume. Since I heard from dept 2230, that you are currently using NCCF, some additional preparation has to be done, if you plan to go on using NCCF. Of course you may also choose to start using Netview instead ? Let me know if you plan to go on using NCCF, and I will send information about what has to be done. (Some modules in LPALIB replaced, and one deleted.)

Kind Regards,

Gunnel

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: MVS/XA system 87-04-10

--- RECEIVED FROM VD.2510GI 031-667639 87-04-09 15.38

-> VNA.VNABC	BERT CHRISTENSSON	MIS-153
-> VNA.VNADM	DAVID MESIANO	MIS-153
cc.		
-> VD.2230SW	SOFTWARE 2230	2230

Hello,

The tapes with your new MVS/XA system left Volvo Data yesterday (Wednesday April 8th). There are two DSS FULLDUMPS, one with all target datasets, and one with all dlib datasets.

The tapes, which have been created using DF/DSS 2.2.0, have the following characteristics:

TARGET VOLUME:

DSNAME=F11DVD.EXT.SY2EXT.R11.TARGET.D870407

VOLSER= 901430, 911380

DLIB VOLUME:

DSNAME=F11DVD.EXT.SY2EXT.R11.DLIB.D870407

VOLSER= 904250, 904313

The MVS/XA system has the following level:

- . MVS/SP 2.1.7
- . RMF 3.4.1
- . VTAM 3.1.1
- . DF/DSS 2.2.0
- . DSF 1.8.0
- . DFP/XA 2.2.0
- . Netview 1.1.0
- . PUTlevel 8608

For other products, please refer to member AAFMID in SYS1.MACLIB.

Some datasets are included both in target and in dlib volume, but they are identical (have been copied from the same original dataset).

No IOGEN has been executed.

Datasets with prefix MVSXA have been included on the TARGET volume. They contain some MVS/XA conversion information.

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: MVS/XA system 87-04-10

Some 'Customization jobs' have been executed:
Which ones, can be seen in member AAADOC in dataset
F1MXVD.R1.IOGEN, which also is included on the TARGET volume.

Please let us know if you have any questions. Also let
us know when the tapes arrive, and if you are able
to restore them in your current system.

Kind Regards,

Gunnel

VOLVO

Dokumentnamn

Sida

Utfärdare (avdelning nr, namn, telefon, geografisk placering, signatur)

Datum

Bilaga

Flik

Reg nr

Ärende

Mottagare (namn, avdelning nr, geografisk placering)

MWS-87


Barbro Cingel abt

VNA har en

egen Logoprofit

VELVO OF AMERICA CORPORATION

3880 - U16 CHANNEL CONFIGURATION




NY
3880

24
+ 30

Pr

VAC

VOLVO-DATA DEPT 2510 INBE FORSBERG
3033 CABLING 1-25-84



NOTE: ALL 3380 CONNECTIONS ARE TO 'A' INTERFACE
'----' FUTURE CABLES.

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: STG1SSD 86-08-18

=> VNA.VNABC BERT CHRISTENSSON MIS-153
--- RECEIVED FROM VNA.VNABC 201-7687300-7124 86-08-18 13.59
-> VD.GI GUNNEL ISAKSSON TEL 667639 2510

Hej Gunnel,

vi kör ju på 8602, vi har t.o.m. gjort en egen iogen
för vår SSD som skall installeras i början på september.
Staget uppdaterad som följer.

Thanks Bert

```
*IOCP !-----!-----!-----!-----!-----!-----
*IOCP ! ADD ! 00-0F ! 3380 ! ! A,F ! SSD !
*IOCP !-----!-----!-----!-----!-----!-----
*IOCP
*IOCP
*IOCP
*IOCP
*IOCP
*IOCP
*IOCP*****
*IOCP POOL ADD ***
*IOCP*****
*IOCP
*IOCP*****
*IOCP 00-0F *
*IOCP*****
*IOCP
```

```
CNTLUNIT CUNUMBR=ADD, PATH=(07), PROTOCL=D, SHARED=N, X
UNIT=3880, UNITADD=(00,16)
CNTLUNIT CUNUMBR=FDD, PATH=(41), PROTOCL=D, SHARED=N, X
UNIT=3880, UNITADD=(00,16)
IODEVICE UNIT=3380, ADDRESS=(ADD,16), X
OPTCHAN=F, CUNUMBR=(ADD,EDD), X
FEATURE=(ALTCTRL)
```

*
*IOCP

Issuer: 2510 JOURANSVARIG 2510 031/667639

Subject: 86-06-19

=> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153
cc.
=> VNA.VNABC BERT CHRISTENSSON MIS-153

Hello,

The tapes with your new SYSRES are leaving Volvo Data today.
Please let me know when they arrive.

Dsname and volser are:

F110VD.EXT.SY2EXT.R11.D860618

TAPE VOLSER no 901419,901543

VOLSER SY2EXT

Highlights:

- . PUT level is 8602
- . A new version, Volvo Data modified, of program IDCAMS is distributed on this SYSRES. See more news about it in member AMEXNEWS in 'SYS1.MACLIB'.
Before you install this SYSRES you must do one of the following:
 1. If you don't want to use Volvo Data version of IDCAMS, rename member ääCAMS in 'SYS1.LINKLIB' to IDCAMS.
 2. If you want to use Volvo Data version of IDCAMS, copy member IDCAMS from 'F110VD.IDCAMS.LOAD' to a linklist library e.g. 'SYS3.F1STNV.LOADSERV'.
- . We think it might be a good idea to update SADUMP program from time to time.
- . Also remember to update Z system after new IOGEN has been installed.
- . Since I didn't know if you had installed the new ACTCAT system, there is still a copy of the old accounting svc (IGCO0221) in SYS1.LPALIB.

Kind Regards,

Gunnel

Issuer: 2510 JOURANSVARIG 2510 031/667639

Subject: VPW problems

86-05-22

=> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153
 --- RECEIVED FROM VNA.VNELFO02 201-768-7300 86-05-22 17.19
 -> VD.2510MVS JOURANSVARIG 2510 2510
 HEJ GUNNEL:

NO, THEY APPARENTLY WERE OK.... I KNOW THAT WE HAD BROUGHT OVER A NEW MODULE FOR VPW (BELIEVE IT WAS THE OPTZA). I MADE NEW COPIES OF EVERYTHING AND APPLIED THE ZAPS TO THESE COPIES. WE WILL TEST AGAIN IN JULY AT CDRS... I WILL BE ABLE TO TEST IT THEN. AS LONG AS I KNOW THE ZAPS ARE STILL OK (I KNEW THAT WHEN I REAPPLIED THE ZAPS) THEN EVERYTHING SHOULD BE OK.... IF I HAVE PROBLEMS AT CDRS THIS COMING TEST, THEN I WILL MAKE SURE A DUMP IS TAKEN TO FIND OUT EXACTLY WHY IT FAILED. IS THERE ANYTHING YOU WOULD NEED SPECIFICALLY IF THIS OCCURED?? THANKS IN ADVANCE.... STAY WELL..... HELLO TO ALL.....

HALSN//STOR LOU

--- RECEIVED FROM VD.2510MVS 031/667639 86-05-22 16.25
 -> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153

Hej Lou,

The reason for your problems with VPW earlier this spring was your change of JES2 release. But as far as I can see, that should not affect the zaps that I sent you. Did all three of them go wrong, or which one did? Do you still have the dumps?

HALSNINGAR, GUNNEL

--- RECEIVED FROM VNA.VNELFO02 201-768-7300 86-05-16 17.08
 -> VD.2510MVS JOURANSVARIG 2510 2510
 HEJ GUNNEL AND BARBRO:

THANKS FOR THE INFORMATION. I BELIEVE THAT BERT IS GOING TO DO THIS, BUT I WOULD ALSO APPRECIATE A COPY OF THE INSTRUCTIONS ON HOW TO DO THIS.

ALSO, GUNNEL, YOU HAD GIVEN ME A ZAP ROUTINE FOR VPW SOME TIME AGO. THE LAST TIME I WAS AT OUR DISASTER RECOVERY SITE AND DID THIS, IT DID NOT WORK. I KNOW THAT VPW WAS UPDATED A WHILE AGO. IS THERE SOMETHING DIFFERENT THAT HAS TO BE DONE NOW?? I DUMPED THE MODULES THAT WE WOULD NORMALLY ZAP AND COULD FIND NO DIFFERENCES. MAYBE I MIS READ THEM.. COULD YOU PLEASE ADVISE..... MUCH THANKS TO ALL.... STAY WELL AND PROSPER..... PLEASE SAY HELLO TO EVERYONE FOR ME.... THANKS AGAIN.....

HALSN//STOR LOU

Issuer: 2510 JOURANSVARIG 2510 031/667639

Subject: V D accounting

86-05-20

=> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153
 --- RECEIVED FROM VNA.VNELFO02 201-768-7300 86-05-16 17.08
 -> VD.2510MVS JOURANSVARIG 2510 2510
 HEJ GUNNEL AND BARBRO:

THANKS FOR THE INFORMATION. I BELIEVE THAT BERT IS GOING TO DO THIS, BUT I WOULD ALSO APPRECIATE A COPY OF THE INSTRUCTIONS ON HOW TO DO THIS.

ALSO, GUNNEL, YOU HAD GIVEN ME A ZAP ROUTINE FOR VPW SOME TIME AGO. THE LAST TIME I WAS AT OUR DISASTER RECOVERY SITE AND DID THIS, IT DID NOT WORK. I KNOW THAT VPW WAS UPDATED A WHILE AGO. IS THERE SOMETHING DIFFERENT THAT HAS TO BE DONE NOW?? I DUMPED THE MODULES THAT WE WOULD NORMALLY ZAP AND COULD FIND NO DIFFERENCES. MAYBE I MIS READ THEM.. COULD YOU PLEASE ADVISE..... MUCH THANKS TO ALL.... STAY WELL AND PROSPER..... PLEASE SAY HELLO TO EVERYONE FOR ME.... THANKS AGAIN.....

HALSN//STOR LOU

--- RECEIVED FROM VD.2510MVS 031/667639 86-05-13 18.40

Hello,

This information is intended for those of you who use the Volvo Data accounting system (also known as GSET.UPPDAG).

We installed a new accounting system here at Volvo Data during last summer, since the old accounting file (prefix.ACCOUNT) is not designed to work with 3380 disk. The new accounting system is modernized and uses MVS standard technology, and the accounting file is an ICF-catalog.

For compatibility, but also because the new system is much better, we would like those of you who use the accounting system to convert to the new one as soon as possible. It's better to change to the new system BEFORE you run into problems with the old one.

We have instructions for the conversion, which we will be happy to send to you as soon as you ask for it.

Kind Regards,
Gunnel and Barbro

-> PV.91250GJ GUNNAR JONSSON 91250
 -> PV.91250CB CONNY BRONNEMAR 91250
 -> VKM.GUBBO GERAN LARSSON TEKNIK
 -> BM.REGOR REGOR CARLSSON CVD4
 -> VNA.VNABC BERT CHRISTENSSON MIS-153

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: IOGEN JUNE -86 86-05-21

=> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153
Hej Lou,

Thanks for giving your answer so quickly.
Concerning the 'freeze' of the system:
Put level 8602 (delivered in June) will be the last one.
We will not make any more put upgrades for the MVS/370 system.
But we will apply corrective PTF's if any of the mexpack nodes
should run into problems.
We also expect to continue performing your IOGEN's when
needed, hopefully during September and December this year.

Kind Regards,
Gunnel

--- RECEIVED FROM VNA.VNELF002 201-768-7300 86-05-20 20.51
-> VD.GI GUNNEL ISAKSSON TEL 667639 2510
HEJ GUNNEL:

JUST GOT OUT OF A TECH SUPPORT MEETING.... YOU HAVE
THE GO FOR THE NEW GEN (PUT8602).... THERE WILL BE NOTHING
NEW FROM OUR END AT THIS TIME.... IF NEED BE, WE WILL JUST
DO ANOTHER IOGEN OR IF POSSIBLE REQUEST THAT YOU DO ONE FOR
US IF THERE ARE ANY CHANGES..... ADVISE IF THERE IS ANYTHING
YOU NEED FROM US HERE.... THANKS IN ADVANCE.... STAY WELL
AND PROSPER....

HALSN//STOR LOU

--- RECEIVED FROM VNA.VNELF002 201-768-7300 86-05-16 17.29
-> VD.GI GUNNEL ISAKSSON TEL 667639 2510
HEJ GUNNEL:

IN REFERENCE TO THE JUNE GEN (SAY THAT THREE TIMES..FAST),
DEPENDING ON WHETHER WE GO TO CACHE OR AN SSD DEVICE FOR
PAGING, WE MAY NEED TO ADD THE STRING OF 3380 THAT YOU HAD
REMOVED FOR US PREVIOUSLY...(SSD IS A 3380 LOOK-A-LIKE)....
FROM OUR IOGEN.... I WILL ADVISE ON THIS BEFORE JUNE 1ST...
ALSO, IS THIS WHERE VOLVO DATA WILL BE FREEZING MVS/SP...
AT PUT LEVEL 8602 OR WILL BE BE ABLE TO GET OTHER GENS IF
NEEDED???? PLEASE ADVISE.... THANKS....

HALSN//STOR LOU

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: IOGEN JUNE -86 86-05-21

--- RECEIVED FROM VD.2510GI 031-667639

86-05-13 17.26

Hello,

It is soon time for the next and LAST MVS/370
SYSRES distribution.

We expect to deliver the new IO generation not later
than the last week of June (w626).

Highlights for the new sysres:

- o PUT level 8602
- o DFHSM 2.2.0

Please give us your EDTGEN input and requests of IO devices
as soon as possible, and not later than June 1st, when
we expect to start working with the gens.

Best MEXPACK Regards,

Gunnel

-> PV.91250CB	CONNY BRONNEMAR	91250
-> PV.91250GJ	GUNNAR JONSSON	91250
-> VKM.GUBBO	GÖRAN LARSSON	TEKNIK
-> BM.REGOR	REGOR CARLSSON	CVD4
-> VET.WDW	WILLY DE WAELE	N007610
-> VNA.VNABC	BERT CHRISTENSSON	MIS-153
-> VNA.VACLFO	LOUIS F. OVITTORE, JR.	MIS-153
cc.		
-> VD.2510IF	INGE FORSBERG	2510

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: macros 86-04-03

=> VD.KH KENNETH HANSSON 2162
 --- RECEIVED FROM VD.KH 031-667044 86-04-03 08.50
 -> VNA.VNABC BERT CHRISTENSSON MIS-153
 CC:
 -> VD.GI GUNNEL ISAKSSON TEL 667639 2510

Hi Bert!

När man genar TMS i 370 eller XA eller för att köras både i 370 och XA som vi gör finns det en variabel i ett genmacro (GENT2) som heter 'OS' den kan sättas till -

- SP1.3 Kan köras i 370 eller XA.
- SP2.0 Endast XA

I bägge fallen gäller XA macros och assembler H V2 oc XAs Linkage Editor.

Om man ej har tillgång till XA macros etc. skall man ange 'OS=VS203.8'

Mer kan inte jag svara på denna fråga.

/MVH Kenneth

--- RECEIVED FROM VD.2510GI 031-667639 86-04-03 08.17
 -> VD.2162KH KENNETH HANSSON 2162

Kan du enkelt besvara nedanstående fråga från vår MEXPACK-kund i USA ? Gärna med cc. till mig.
 /Gunnel

--- RECEIVED FROM VNA.VNABC 201-7687300-7124 86-04-02 20.19
 -> VD.2510IF INGE FÖRSBERG 2510
 -> VD.2510GI GUNNEL ISAKSSON TEL 667639 2510

Hej MVS:are,

när jag satt här och rörde i ett TMS problem upptäckte jag en sak. TMS använder macros stfsmode och stlineno. vad jag upptäckt är att dessa inte finns i VTAM V3 370 men i XA versionen. Kan ni kolla upp detta.

Thanks Bert

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: IOGEN TAPES 86-03-21

=> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153
 --- RECEIVED FROM VNA.VNELFO02 201-768-7300 86-03-14 23.26
 -> VD.GI GUNNEL ISAKSSON TEL 667639 2510
 HEJ GUNNEL:

OK.... MUCH THANKS.... I WILL ADVISE YOU OF HOW
 IT IS GOING HERE.. THANKS AGAIN. HELLO TO ALL... STAY
 WELL.....

HALSN//STOR LOU

--- RECEIVED FROM VD.2510GI 031-667639 86-03-14 10.24
 -> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153
 cc. -> VNA.VNABC BERT CHRISTENSSON MIS-153

HEJ LOU,

The tapes with the new SYSRES (March IOGEN) left Volvo Data
 yesterday (Thursday).

Dname and volsers are:

*
 DNAME=F110VD.EXT.SY2EXT.R11.D860312
 VOL SER NOS= 902386,902370.
 *

You got general information about what is included in
 Bengts memo.

I have assumed that you have installed JES 2 Rel 1.3.4
 before installing this SYSRES.
 But IF you are still on the old level of JES2, you
 should copy the following the LPA-modules from your
 current LPALIB before IPL: ISFLPA and IGCO021H.
 They are SVC modules used for SDSF.

Since you wanted a copy of your EDTGEN input, I did
 copy your UNR101 into SYS1.MACLIB. I hope that will
 be OK.

V O L V O

Document: MEMO
Regno:

Insert: PAGE: 2
App:

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: IOGEN TAPES 86-03-21

Please let me know if you have any questions,
and also when you have installed this new level.

HÄLSNINGAR,
GUNNEL

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: BAD DSCBS 86-03-06

=> VNA.VACLFO	LOUIS F. OVITTORE, JR.	MIS-153
--- RECEIVED FROM VNA.VNELFO02	201-768-7300	86-03-05 21.07
-> VD.2510GI	GUNNEL ISAKSSON	TEL 667639 2510
-> VNA.VNABC	BERT CHRISTENSSON	MIS-153

HEJ GUNNEL:

I SENT THIS MEMO TO BENGT SEVERAL DAYS AGO. I HAVE NOT GOTTEN A RESPONSE. AT FIRST THIS PROBLEM WAS ON PP1125 (INVALID DSCB TYPE) AND NOW I AM FINDING IT ON PP1126. THIS IS AN APPARENTLY KNOWN IBM PROBLEM. BEFORE THINGS GET OUT OF HAND HERE I WOULD LIKE TO GET THIS RESOLVED. PLEASE ADVISE... THANKS IN ADVANCE..... STAY WELL.....

HALSN//STOR LOU

CC.: BERT CHRISTENSSON

HEJ BENGT:

JUST SPOKE TO IBM SUPPORT CENTER IN REF TO DF/DSS. THEY ACKNOWLEDGED THE PROBLEM AND POINTED TO PTF UP68423--- THIS IS PRE'D BY UP65850 WHICH IS PRE'D BY UP54229 (THIS IS PE'D BUT CORRECTED BY UP68423) AND UP49943. THEY SUGGESTED THAT THIS BE APPLIED.

WE ALSO HAVE A PROBLEM WITH DF/DSS WHEN DUMPING DASD TO TAPE OR DASD... WE ARE GETTING A LOT OF LOGICAL READ ERRORS. WE GET MESSAGE ADR336I (DD1) LOGICAL ERROR READING VOLUME XXXXXX; TRACK CCCCHHHH. THEY ALSO ACKNOWLEDGED THIS PROBLEM AND POINTED TO AN OPEN APAR PP51568. I HAVE OPENED THIS UP TO LEVEL 2 AND WILL ADVISE IF I GET ANY FURTHER INFORMATION.

COULD YOU PLEASE ADVISE IF THE PTF'S FOR THE FIRST PROBLEM HAVE BEEN APPLIED TO OUR DF/DSSxxxx IF NOT HOW CAN WE HANDLE THIS.... PLEASE ADVISE. THANKS AGAIN...

HALSN//STOR LOU

--- RECEIVED FROM VNA.VNELFO02	201-768-7300	86-02-26 14.27
-> VD.2510BR	BENGT RYDBERG; TEL 7636	2510

```

*      *   ** *   ***** *   *****   ****
*      *   ** *   **** *   ****   *   *
**      *   ** ***** ***** *   ****

```

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: BAD DSCBS 86-03-06

HEJ BENGT:

I HAVE ENCOUNTERED A PROBLEM HERE WHICH I FEEL YOU SHOULD KNOW ABOUT. SEEMS THAT WE ARE GETTING INVALID DSCB TYPES IN OUR VTOC'S. I FOUND THIS OUT USING DMS. ON CALLING THE DMS SUPPORT CENTER I WAS TOLD TO APPLY A ZAP TO GET AROUND THIS PROBLEM AND ALSO THAT IT IS A KNOWN PROBLEM TO IBM SINCE JULY OF LAST YEAR. IT IS CAUSED BY DF/DSS. SEEMS THAT WHEN DSS CAN'T HANDLE CERTAIN INFORMATION IT RETURNS A HEX 'FD' AND THIS IS CAUSING THE INVALID DSCB TYPES.... IBM HAS AN APAR FOR THIS...PP45770... I WAS TOLD TO CALL THE IBM SUPPORT CENTER AND GET ON THE INTERESTED PARTIES LIST. SINCE DSS COMES WITH THE RES, PERHAPS YOU COULD ALSO FOLLOW UP ON YOUR SIDE SO WE CAN RESOLVE THIS PROBLEM. THANKS IN ADVANCE. HELLO TO ALL... PLEASE ADVISE.....

HALSN//STOR LOU

V O L V O

Document: MEMO
Regno:

PAGE: 1
Insert: App:

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: idmsr14 86-03-05

=> VNA.VNABC BERT CHRISTENSSON MIS-153
--- RECEIVED FROM VNA.VNABC 201-7687300-7124 86-03-04 21.12
-> VD.2510GI GUNNEL ISAKSSON TEL 667639 2510

Hej Gunnel,

ännu en att slänga in i ppt:n IDMSR14 som nonswap
Thanks Bert

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: surplus device 86-03-05

=> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153
 --- RECEIVED FROM VNA.VACLFO 201-768-7300 86-03-04 18.09
 -> VD.GI GUNNEL ISAKSSON TEL 667639 2510
 HEJ GUNNEL:

HOW HAVE YOU BEEN*** I WAS SINCERELY SORRY TO HEAR OF THE GREAT TRAGEDY YOUR COUNTRY SUFFERED. FROM WHAT I HAVE READ ON MR. PALME, HE SEEMED LIKE A VERY FINE PERSON. I WAS IN SHOCK WHEN I HEARD THE NEWS AND STILL FIND IT VERY HARD TO BELIEVE THAT THIS KIND OF THING COULD HAVE HAPPENED IN SWEDEN. OUR HEARTS ARE HEAVY HERE ALSO.... ANY TIME SUCH A FINE PERSON IS LOST, THE WHOLE WORLD SUFFERS. WHEN WILL WE LEARN TO LIVE IN PEACE AND TALK OUT OUR DIFFERENCES. I HOPE NOT TO MUCH LONGER. I DON'T KNOW IF WE CAN WAIT MUCH LONGER. PLEASE LET EVERYONE KNOW HOW SORRY WE ARE HERE....

AS FAR AS THE DEVICE ADDRESSES...IT IS OK TO REMOVE THEM. THANKS GUNNEL... STAY WELL... HELLO TO ALL....

HALSN//STOR LOU

--- RECEIVED FROM VD.2510GI 031-667639 86-03-04 15.57

-> VET.N07300IE IVAN VAN EENOOGIE 07300
 -> VET.WDW WILLY DE WAELE N007610
 -> VNA.VNABC BERT CHRISTENSSON MIS-153
 -> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153

Hello !

Please confirm that it is OK to remove the following device addresses in the next gen:

120 - 12F (3380)
 130 - 13F (3380)
 210 - 21F (3380)
 4A0 - 4AF (3350)
 4B0 - 4BF (3350)

510 - 51F (5088)
 520 - 52F (5088)
 530 - 53F (5088)
 5D0 - 5DF (HFGD)
 5E0 - 5EF (HFGD)
 5F0 - 5FF (HFGD)

We plan to start the gen as soon as we get your confirmation.

Regards,

Gunnel & Bengt

Issuer: 2510 GUNNEL ISAKSSON TEL 667639 031-667639

Subject: March R1 86-02-26

=> VD.BENGTR BENGT RYDBERG, TEL 7636 2510
 --- RECEIVED FROM VD.BENGTR 667636 86-02-26 09.19
 -> VD.2510GI GUNNEL ISAKSSON TEL 667639 2510
 --- RECEIVED FROM VD.BENGTR 667636 86-02-26 09.16
 -> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153

Hello Lou !

I pass this to Gunnel. She will performe this input.

Best Regards,

Bengt

--- RECEIVED FROM VNA.VNELF002 201-768-7300 86-02-20 14.54
 -> VD.BENGTR BENGT RYDBERG, TEL 7636 2510
 HEJ BENGT:

WE SEE NO NEW CHANGES HERE... YOU ARE GO FOR THE NEW
 SYSRES. I HAVE ENJOYED THIS WAY OF UPGRADEING OUR SYSTEM VERY
 MUCH. IT IS A VERY SOUND IDEA. I ENJOYED THE INTERACTION
 BETWEEN VOLVO DATA AND VNA. IT IS REALLY GREAT WORKING WITH
 ALL OF MY COUNTERPARTS IN SWEDEN IN THIS WAY. IN LOOKING TO
 THE FUTURE, I AM HOPEING FOR AN EVEN CLOSER RELATIONSHIP. ONE
 THAT WILL BENEFIT NOT ONLY VNA BUT ALSO VOVLVO DATA. THANKS
 FOR EVERYTHING... HELLO TO ALL.... STAY WELL.....

HÅLSN//STOR LOU

--- RECEIVED FROM VD.BENGTR 667636 86-02-10 16.43

Hello Folks !

Now we have completed the first Year with Periodical SYSRES.
 I hope You have found this way good.

It is time for the March I/O generation.

Highlights:

- o PUT level 8508
- o EREP rel 3.2.0 See comming MEXPACK BULLETIN
- o MVS rel 1.3.5 - " " -
- o ISPF/PDF 2.2.0 See MEXPACK BULLETIN
- o OCCF 1.1.1 - " " -

This time will Gunnel handle the input and generation.
 Please give us Your EDTGEN input and request of I/O devices !
 Time plan:

We need Your input at the latest first of March.
 We will deliver at the end of March.

Best MEXPACK Regards,
 Gunnel & Bengt

Issuer: 2510 BENGT RYDBERG, TEL 7636 667636

Subject: tape 86-02-14

=> VNA.VNABC BERT CHRISTENSSON MIS-153
--- RECEIVED FROM VNA.VNABC 201-7687300-7124 86-02-14 15.10
-> VD.2510BR BENGT RYDBERG, TEL 7636 2510

Bengan,

vi har tape på 580, vilket jagglömde meddela dig.
Bert

Issuer Date App. Insert
2510 GUNNEL ISAKSSON TEL 667639 86-01-22

Subject: NEW IOGEN

=====
=> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153
--- RECEIVED FROM VNA.VNELFOO2 201-768-7300 86-01-21 15.20
-> VD.GI GUNNEL ISAKSSON TEL 667639 2510
HEJ GUNNEL:

THANKS.... I WILL LOOK AT THESE MEMBERS AND ADVISE
IF I HAVE ANY QUESTIONS.... THANKS AGAIN..... STAY WELL...

HÄLSN//STOR LOU

--- RECEIVED FROM VD.2510GI 031-667639 86-01-21 11.41
-> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153
Hej Lou,

The two things necessary to perform to 'back off' our
TMS version are:

1. Copy of IBM versions of EMODVOLL and OMODVOLL (aliases included) into SYSL.LPALIB and
2. Zap in some SYSL.LPALIB members.

I have both the modules and the zap prepared here at NJEVD,
and I thought perhaps you could collect them yourself.
(Is that OK ?)

The loadmodules are in library F110VD.TMSBACK.LOAD
(there are no other modules in that library). Maybe
you will not need them at all. Just copy your own
EMODVOLL and OMODVOLL.

The zap is in library F110VD.TMSBACK.CNTL, member TMSBACK.

Please let me know if you have any questions, or
have any trouble with anything.

HÄLSNINGAR,
GUNNEL

Issuer Date App. Insert
2510 GUNNEL ISAKSSON TEL 667639 86-01-22

Subject: NEW IOGEN

----- RECEIVED FROM VNA.VNELFO02 201-768-7300 86-01-20 22.18
-> VD.GI GUNNEL ISAKSSON TEL 667639 2510
HEJ GUNNEL:

SORRY I TOOK SO LONG GETTING BACK TO YOU.... COULD YOU PLEASE TELL ME WHAT MUST BE DONE (ARE YOU TALKING ABOUT THE OMODVOLI AND EMODVOLI MODULES ON SYSL.LPALIB????) . IF IT IS WHAT I AM THINKING OF....JUST ADVISE WHAT MUST BE ZAPPED AND WHAT MODULES ON LPALIB.... SINCE I INSTALL TMS HERE AND APPLY ALL NEWSLETTERS....I COULD PROBABLY DO IT MYSELF.... THANKS IN ADVANCE..... STAY WELL..... HELLO TO ALL

HÄLSN//STOR LOU

P. S. : WE ARE SHOOTING FOR THIS WEEKEND TO INSTALL THE NEW RES.

----- RECEIVED FROM VD.2510GI 031-667639 86-01-15 18.15
-> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153
Hej Lou,

Do you plan to wait for the new tapes, and not install the PUT8506 level from December ? Bengt Rydberg advices against it. He thinks maybe it would be best if you could install the version you already have downloaded as soon as possible. I'm not sure exactly why he thinks so, but it had something to do with the COMDISC gen that he is working on.

If you are going to install the version on SYLRX, I must 'back out' the TMS version that we included by mistake.

The jobs necessary to perform are
1 zap on some modules on SYSL.LPALIB and
replacement of two modules on SYSL.LPALIB.
Is it OK if I replace them myself, directly on SYLRX ? Or is it easier if you do it yourself, after I have sent you the zapjcl and modules ?

Hälsningar,
Gunnel

----- RECEIVED FROM VNA.VNELFO02 201-768-7300 86-01-14 14.41
-> VD.GI GUNNEL ISAKSSON TEL 667639 2510
HEJ GUNNEL:

THE NEW TAPES WILL BE JUST FINE.... I THOUGHT IT MIGHT BE EASIER FOR YOU TO SHIP THE LIBRARIES....BUT I DIDN'T REALIZE THE TIME INVOLVED IN TRANSMITTING THE LIBRARIES.... I WILL BE LOOKING FOR THE NEW TAPES.... THANKS FOR EVERYTHING... STAY WELL.....

HÄLSN//STOR LOU

Issuer Date App. Insert
2510 GUNNEL ISAKSSON TEL 667639 86-01-22

Subject: NEW IOGEN

--- RECEIVED FROM VD.2510GI 031-667639 86-01-14 11.30
-> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153

Hello Lou,

Yes it's correct that I will make a new IOGEN for you, which hopefully will be ready for delivery some time next week.

We (Bengt Rydberg and I) think that it is most convenient for us to send a completely new tape, since that is the way we usually do it. And it will take some time to transmit the libraries involved.

But of course, if it would save a lot of job for you ... ? Please let me know if you want me to send only those libraries that are updated by IOGEN.

HÄLSNINGAR, Gunnel

--- RECEIVED FROM VNA.VNELFO02 201-768-7300 86-01-13 18.24
-> VD.GI GUNNEL ISAKSSON TEL 667639 2510

* * ** * ***** * ***** *****
* * * * * * * * * * * * * * * *
** * ** ***** ***** * *****

HEJ GUNNEL:

I WAS SPEAKING TO BERT CHRISTENSSON THIS MORNING AND HE SAID THAT A REQUEST FROM US WAS IN FOR A NEW IOGEN. HE THOUGHT YOU WOULD BE HANDLING THIS. IF SO, WHAT I WOULD LIKE TO KNOW IS WHETHER YOU WILL BE SHIPPING AN ENTIRE NEW SYSRES TAPE OR JUST THE LIBRARIES NEEDED FOR THE IOGEN. IT WOULD PROBABLY BE A BETTER IDEA IF YOU COULD SHIP JUST THE LIBRARIES NEEDED FOR THE IOGEN. I HAVE ALREADY DOWNLOADED THE NEW RES TAPES (PUT8506) THAT I RECEIVED FROM BENGT (ON SYLRIX) AND COULD RUN AN EMPTY PDS FOR THE LIBRARIES INVOLVED. YOU COULD THEN RUN COPIES OF THE NEW LIBRARIES TO THE CURRENT LIBRARIES ON THE NEW RES PACK. WHAT DO YOU THINK??? IF THIS IS OK, PLEASE ADVISE.... THANKS IN ADVANCE....

HÄLSN//STOR LOU

V O L V O
Volvo Data Corp

Page 1

Issuer	Date	App.	Insert
2510 GUNNEL ISAKSSON TEL 667639	86-01-17		

Subject: io

=> VNA.VNABC	BERT CHRISTENSSON	MIS-153
--- RECEIVED FROM VNA.VNABC	201-7687300-7124	86-01-16 20.01
-> VD.2510GI	GUNNEL ISAKSSON TEL 667639	2510

Hej Gunnel,
eftersom det inte gick på 4c0, lets do it this way
use 400 and 420, e00 and e20, is this possible.

Thanks Bert

Issuer 2510 GUNNEL ISAKSSON TEL 667639 Date 86-01-13 App. Insert

Subject: iogen order ?

=> VD.BENGTR BENGT RYDBERG, TEL 7636 2510
--- RECEIVED FROM VD.BENGTR 667636 86-01-09 16.25
Gunnel har möjlighet att göra det. Vad kostar det ?
Kan vi lämna positivt besked till Bert ?
Bengt

-> VD.2510LN LENNART NILSSON 2510
CC:
-> VD.2510GI GUNNEL ISAKSSON TEL 667639 2510
--- RECEIVED FROM VNA.VNABC 201-7687300-7124 86-01-09 16.18
-> VD.2510BR BENGT RYDBERG, TEL 7636 2510
cc:
-> VNA.VACGI JERRY INGRAHAM MIS-153

Hi,

we have need for 4-3272 in an I/O gen to support the S/1 being installed at VNA First week of February.

There should be 2 each generated on channel 4 and E , just like our current 3E0 with 32 ports and all units 3278-2,no 3287.

Could this be possible to do for Volvo Data. The S/1 is gonna be the communication computer in VNA's DCS-system. DCS is Dealers Communication System(All dealers should be connected to this, about 500 around North America)

I know Volvo Data is a flexible organization and hope for the best

Please reply this week if possible.

Bset Regards Bert