

Issuer: 2510 GUNNEL ISAKSSON 031-667162

Subject: Z system

89-06-01

--- RECEIVED FROM VD.2510GI 031-667162

89-02-09 16.40

-> VNA.VNADM

DAVID MESIANO

MIS-153

Hi,

I also left two other cassettes to Per. They include a copy of our Z system (one volume backup system), which I thought you may find useful.

DSNAME= F1MXVD.EXT.SYSZZY.R1.D890208

VOLSER= MX0021, MX0022

Instructions:

Since there are VSAM datasets on the volume, you will have to restore it to a volume with the same name as it had here - SYSZZY.

Things to check before IPL:ing the system:

- o Execute your current MVSCP with target SYS1.NUCLEUS on SYSZZY.
- o Make necessary changes to SYS3.VTAMLST to be able to logon from one of your local control units.
- o Make changes to member CONSOLID on SYSZZY so that you reference your console addresses.
- o Exchange the VATLST00 with your own - or one just specifying SYSZZY. The one on the volume was used when testing in VTD1.
- o I will send a separate memo with instructions on how to IPL the system.

When we tested the system, we logged on to tso, ran a few batch jobs (IEBGENER and IDCAMS) but maybe there are more things that you will want to test ?

Please let me know if you have any questions.

Hälsningar
Gunnel

Issuer: 2510 GUNNEL ISAKSSON 031-667162

Subject: ACF2 sysres

89-06-01

--- RECEIVED FROM VD.2510GI 031-667162

89-02-09 16.39

-> VNA.VNADM

DAVID MESIANO

MIS-153

Hi,

I left two cassettes with your ACF2 sysres to Per today.

DSNAME= F1MXVD.EXT.EXDDDD.R1.D890208

VOLSER= MX0029, MX0030

Differences on this sysres compared to the MVS 2.2 system that we sent in November are:

- . ACF2 5.0
(the coex. tool has NOT been applied)
- . SYS1.PL1.PLILINK is now included again (level PL/1 V2).
- . VTAM 3.2.0.
- . PUTlevel 8806 for all products.

Things to consider:

1. ACF2: You will get additional information from Bengt Rydberg and Ulla-Karin Gustafsson (memoid VD.BENGTR and VD.ULLAKARI). Please send questions to me or them concerning any technical matters, that we may help you with.
2. We had some minor problems with tape mounts, after installing PUT8806. After contacts with the TMS vendor he suggested that we should apply all available maintenance to TMS. We suggest you do the same. Not necessarily at the same time as you install the res, but don't wait too long.
3. I have included SYS1.ISFLOAD and SYS1.HASPSRC with level JES2 2.2, since we suppose that you will be on JES2 2.2 before IPL:ing the ACF2 system.
If you want to make a test IPL with JES2 2.1.5 remember to collect the sdsf loadmodules from your current system. There are also some ACF2/JES2 dependant modules, that are now in SYS1.LINKLIB, that need to be exchanged. Please let us know.
4. I guess Per has got all necessary information for VTAM 3.2. If not, please contact Johan Ström (memoid VD.JS).

Hälsningar,

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: PL/1 89-01-19

=> VNA.VNADM DAVID MESIANO MIS-153
 --- RECEIVED FROM VNA.VNADM 201 768-7300 89-01-03 13.57
 -> VD.GI GUNNEL ISAKSSON TEL 667162 2510

This is great. It is also unclear here if pli is from mex pack. I will ask Kjell when he comes back. I think the COBOL pre compiler from VD also needed PLI. In any case I will check with IBM to also see what version we have licenced. Thanks again

David

--- RECEIVED FROM VD.2510GI 031-667162 89-01-03 15.37

-> VNA.VNADM DAVID MESIANO MIS-153

Hi,

This wasn't an easy subject. I didn't know that you have PL/1 from MEXPACK. And from what I can find in Kjell's files (he is on vacation this week), you don't pay anything extra for PL/1. I'll talk to Kjell, and we'll sort this out.

But I found your SYS3.F1STR1.PL1.SUBRTNES, which obviously was distributed with MEXPACK in the beginning. You probably need it for VMF ?? But no one has sent you any updates ! I think what you have is PL/1 4.0, but I don't know what putlevel.

Last winter VD installed PL/1 1.5.1, and when I built your system last spring, I included the datasets for PL/1 1.5.1 and put them on your sysres - I don't know why, but they are there.

But when Elisabet built your MVS 2.2-sysres, we thought that you didn't use PL/1, and did not include the datasets.

So....

On your current sysres SY1R1X, you can find datasets with prefix SYS1.PL1, which hold PL/1 1.5.1 with putlevel 8708. But on your new MVS 2.2, they are unfortunately not included.

The PL/1 datasets are:

SYS1.PL1.PLICOMP	(compile)
SYS1.PL1.PLIBASE	(link)
SYS1.PL1.PLITASK	(link multitask)
SYS1.PL1.PLILINK	(runtime)

where SYS1.PL1.PLILINK corresponds to your current SYS3.F1STR1.PL1.SUBRTNES.

Hope this will help you. And we'll include the SYS1.PL1.PLILINK dataset on future MEXPACK sysres volumes.

Let me know, if you want me to send a SYS1.PL1.PLILINK for the MVS 2.2-sysres. The only difference is that if I send a new one, it will be on PUTlevel 8803.

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162
Subject: ACF2 88-12-12

- => VD.BENGTR BENG T RYDBERG TEL 669666 2510
- RECEIVED FROM VD.BENGTR +46-(0)31-669666 88-12-08 17.32
- > VNA.VACJT JOHN TURNER MIS-153
- > VNA.VACJC JOHN CORTESE MIS-150
- > VNA.VACDG DANIELLE GARRISON MEMO HELP MIS-150
- > VNA.VNADM DAVID MESIANO MIS-153
- CC:
- > VD.PJ PER JOHANSON 2810
- > VD.GI GUNNEL ISAKSSON TEL 667162 2510
- > VD.KGO KG OLSSON 2040

Dear VOLVO Friends of U.S.A !

Thank for Your hospitality during my visit at VNA. It was most valuable to meet You and see Your installation. It always make things easier when communicate via MEMO or telephone.

I have tried to document what I think are the most important parts of our discussion during my visit at VNA. Please feel free to contact me if You have any comments or further questions.

Best Regards,
Bengt Rydberg

The decision that was made in the VOLVO headquarter, and goes for all companies in the Volvo group, is a two part decision. First, the concept for security administration shall be implemented and used. Secondly, the product ACF2 shall be used. See "Activities when installing the authorization concept/ACF2" (K-G Olsson 88-09-21) for the complete description.

Me to investigate if and when the concept will be available in English. So far I only know that it will be available, but not when. Other recommendations, standards and rules are in pipeline.

Description of the Volvo Group project, the "Key project".

Project leader
K-G Olsson
Dept 2040
MEMO=VD.KGO

!	!	!	!
!	!	!	!
Tech project	Adm./std./cons.	Install/conv.	Educ./info
Bengt Rydberg	Per Johansson	Göran Andersson	Evastina Tillberg
Dept 2510	Dept 2810	Dept 2302	Dept 2040
MEMO=VD.2510BR	MEMO=VD.PJ	MEMO=VD.2302GA	MEMO=VD.EST

Per is available for support in different areas (see copied foils). Please let us know if You need any help from Per (or

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: ACF2 88-12-12

me).

ACF2 modifies the following parts of MVS :

JES2 exits: 2, 4, 20, (223, 224, 227)

MVS : Front end via SVCUPDATE for a number of mods.

TSO : Signon exit, We have replaced this with VD code.

IMS : Signon exit, We have merged this with VD code.

IDMS : Signon exit ?

The existing CA ACF2/RACF coexistence tool can be used. However, it's Your own decision and on Your own risk since Volvo Data can neither guarantee nor support the tool. The reasons are 1) it is CA's word that it works for TSS 2) Volvo Data does not use the tool in this timeframe (febr - april) . Please also consider that there could also be some confusions during problem determination.

VD has also written code to support HSM and DMS in this mixed environment (ACF2/RACF).

Gunnel can generate a system for You almost whenever You like. As always, please let us know some time in advance when You have decided on a precise date.

About Your ID generation for 8100 mashines. From what I understood has TSS a standard function for ID generation for incoming jobs from RJE, right ? There is no such standard function in ACF2. What can be done is making use of the ACF2 JES prevalidation EXIT. CA states that it has been done at other installations.

Issuer: 2510 GUNNEL ISAKSSON TEL 667162 031-667162

Subject: RMDS, ETC.... 88-09-05

--- RECEIVED FROM VD.2510GI 031-667162 88-09-02 16.09
-> VNA.VACLFO LOUIS F. OVITTORE, JR. MIS-153

Lou,

Yes, the journey back went all right, and now everything is back to normal again.

Concerning RMDS, I talked to Lars Hammar, who has been involved in our project, and he says: We have looked at several products, and we have now chosen Express Delivery, which is the one that we think is the best. At least you should have a look at it before you decide which product to choose.

Please feel free to send any questions you like, concerning Express Delivery, to Lars. Memoid VD.HAMMAR.

I think we also discussed the ICFRU product last Monday. And since Lars also works with that product, you can ask him anything you like, concerning starting to use ICFRU for catalog recovery.

My opinion is, that with a rather small effort, you can get a much higher level of security and backup for your system, if you're using ICFRU.

Hälsningar,
Gunnel

--- RECEIVED FROM VNA.VNELFO02 201-768-7300 88-08-30 17.15
-> VD.GI GUNNEL ISAKSSON TEL 667162 2510

HEJ GUNNEL:

IT WAS SO GOOD SEEING YOU AGAIN. HOPE THE TRIP HOME WAS A GOOD ONE... IN OUR TALKS HERE WE DISCUSSED A PROJECT THAT WE WOULD BE UNDERTAKING WITH RMDS AND OTHER COMPATIBLE PRODUCTS. WHAT IS BEING USED BY VOLVO DATA FOR THIS PURPOSE AND WHO IS RESPONSIBLE FOR THE PRODUCT?? DO YOU KNOW OF ANY OTHER PRODUCTS LIKE RMDS. WE ARE IN THE INFORMATION GATHERING STAGE AT THIS POINT. ANY INFO WILL BE APPRECIATED.

PLEASE SAY HELLO TO ALF, JAN, AND LARS FOR ME. THANKS AGAIN FOR THE SHIRT. EVERYONE WHO HAS SEEN IT JUST LOVES IT.

REGARDS ALWAYS//L O U

SR - wstr Lee Dave

Info/Mac info JT

OSD

MEMO - Aximabun, Kjell Raskle

OSD

IP loadsec etc.

OSD

source code - read access

Kjell

MEXPACK

VOLVO DATA PLANS

ACF2

2. WE SEND THE PDF AND
YOU APPLY IT AT
YOUR SITE.

SWEDISH MEXPACE SITES ARE
THINKING THIS OVER
PROBABLY NO FOR MOST OF
THEM.

HOW MUCH CUSTOMIZATION AT VNA?

* MEXPACE 'QUALITY'

1983: 5 MEXPACE SITES

NOW: 10 — " —

- MORE DEMANDS FOR SPECIAL HANDLE
- MORE COMPLEXITY
- DEPENDENCIES TO OTHER PRODUCTS
ETC: ETC.

KJETLL RASK WILL WORK WITH
GETTING THINGS A LITTLE
BETTER ORGANIZED.



MVS 2.2.

* NOW AT VD
MEXPAUC AUTUMN - 88

TO CONSIDER:

NEW LEVELS OF ABENDATO
SOSF
DMS
TBO/MON
Express Delivery
VD IACAMS

PUT maintenance IMS → 8708
check for IAMS

* WE WILL NOT SEND DLIB'S
ANY LONGER
YOU HANDLE THE MUSCP

Z system

VOLVO DATA PLANS

- NOW INSTALLING JES2 2.2.0
- ACF2 DURING AUTUMN - 88
- MVS/ESA
- DFSMS
- 3090 E or S models (primary for MVS/ESA).

DFHSM 2.4

VTAM 3.2

DF/DSS 2.4

GDPM 2.2

DFSORT R10

DCF 3.2

TSO/E V2

PL/I V12

PROBABLY MEX PACO INSTALLATIONS
WITH MVS 2.2 FOR ANOTHER
2 YEARS

MAY BE NOT PUT MAINT ETC.
AFTER SUMMER - 89